

MARS MANUFACTURES PRODUCTS TO MEET YOUR NEEDS

HOW AIR CURTAINS WORK



AND THE BENEFITS THEY PROVIDE

Repel

Dirt, Dust, Debris, and Flying Insects

Reduce

Building Heating & Cooling Costs

Decrease

Product Loss

Enhance

Indoor Air Quality & Customer Experience

Improve

Customer, Employee, & Product Safety

Sanitize

with UVC, HEPA Filtration & Ionization

CUSTOMER ENTRANCES



MOUNTING HEIGHTS

ANSI/NSF 37 APPROVED MODELS

- LPN2 RESTAURANT ENTRANCES (UP TO 7')
- N2 FOOD HANDLING FACILITIES (UP TO 7')

NON-NSF SERIES

- LPV2 RETAIL ENTRANCES (UP TO 8')
- **STD2** CUSTOMER ENTRANCES (8'-12')

BENEFITS

REPEL DIRT, DUST, DEBRIS, & FLYING INSECTS • TEMPERATURE AND HUMIDITY CONTROL • ENHANCED INDOOR AIR QUALITY & CUSTOMER EXPERIENCE

HEAT OPTIONS AVAILABLE

*INDOOR ONLY

- ELECTRIC
- STFAM
- HOT WATER

*NOTE: HEAT OPTIONS ARE NOT AVAILABLE ON ANSI/NSF 37 APPROVED MODELS



RECEIVING DOORS, INTERIOR OPENINGS AND PATIO DOORS



MOUNTING HEIGHTS

ANSI/NSF 37 APPROVED MODELS

- **N2** EMPLOYEE ENTRANCES (UP TO 7')
- NH2 SERVICE ENTRANCES (UP TO 7')

NON-NSF SERIES

- STD2 INTERIOR/EXTERNAL OPENINGS (8'-12')
- HV2 PATIO/RECEIVING DOORS (12'-14')

BENEFITS

- REPEL DIRT, DUST, DEBRIS, & FLYING INSECTS
- TEMPERATURE AND HUMIDITY CONTROL
- ENHANCED INDOOR AIR QUALITY & CUSTOMER EXPERIENCE





HEAT OPTIONS AVAILABLE

*INDOOR ONLY

- ELECTRIC
- STEAM
- HOT WATER
- GAS

*NOTE: HEAT OPTIONS ARE NOT AVAILABLE ON ANSI/NSF 37 APPROVED MODELS

ARCHITECTURAL CUSTOMER ENTRANCES

MOUNTING HEIGHTS

- QP MODELS SURFACE MOUNTED (UP TO 12')
- PH MODELS RECESSED (UP TO 16')



BENEFITS

REPEL DIRT, DUST, DEBRIS, & FLYING INSECTS • TEMPERATURE AND HUMIDITY CONTROL • ENHANCED INDOOR AIR QUALITY & CUSTOMER EXPERIENCE • REDUCED NOISE OUTPUT BY UP TO 25%



HEAT OPTIONS AVAILABLE

*INDOOR ONLY

- ELECTRIC
- STEAM (QP8 AND PH ONLY)
- HOT WATER (QP8 AND PH ONLY)

DOCK DOORS



Warehouse Shipping/Receiving
Doors

MOUNTING HEIGHTS

- STD2 COMMERCIAL DOORS (8'-12')
- HV2 MID SIZE DOORS (12'-14')
- **EP2** LIGHT INDUSTRIAL (14'-16')
- WMI/WMH HEAVY INDUSTRIAL (14'-20')
- **BD** HEAVY DUTY INDUSTRIAL (14'-32')

BENEFITS

REPEL DIRT, DUST, DEBRIS, & FLYING INSECTS • TEMPERATURE AND HUMIDITY CONTROL • ENHANCED INDOOR AIR QUALITY & CUSTOMER EXPERIENCE

HEAT OPTIONS AVAILABLE

*INDOOR ONLY

- ELECTRIC
- STEAM
- HOT WATER
- GAS



Manufacturing Shipping/Receiving
Door

COLD STORAGE

MOUNTING HEIGHTS

- LPV2 WALK-IN COOLER/ FREEZERS (UP TO 8')
- STD2 COOLER/FREEZER ROOMS (8'-12')





Walk-In Cooler Entrance

Cold Storage Freezer Entrance

BENEFITS

ELIMINATES NEED FOR PLASTIC STRIP CURTAINS • TEMPERATURE AND HUMIDITY CONTROL • REDUCES PRODUCT AND PACKAGING LOSS DUE TO HIGH CONDENSATION

OPTIONS

ELECTRIC HEAT


- ELIMINATES ICE BUILD UP ON FABRIC DOORS
- PREVENTS CONDENSATION, WATER AND ICE BUILD UP ON FLOORS

UVC GERMICIDAL LAMPS

- ENHANCES SANITATION INSIDE COLD STORAGE SPACE
- INCREASES SHELF LIFE OF PERISHABLE FOOD BY UP TO 25%
- CAN BE MOUNTED INSIDE OR OUTSIDE OF THE COOLER
 - MUST BE MOUNTED OUTSIDE OF THE FREEZER
- CANNOT COMBINE ELECTRIC HEAT WITH UVC LAMPS

CLEAN AIR: WHEN AIR CURTAIN CLEAN IS NOT CLEAN ENOUGH

UVC/UVV GERMICIDAL LAMP (UP TO 10')



PRIMARY APPLICATIONS

- CUSTOMER ENTRANCES
- PASS-THRU WINDOWS
- RECEIVING DOORS
- INTERIOR SPACE SEPARATION

BENEFITS

KILLS PATHOGENS AND MICROORGANISMS ON THE INTERIOR SURFACES OF THE AIR CURTAIN AND DESTROYS ODOR CAUSING COMPOUNDS



Dumpster

VHP (UP TO 8')



Hospital Foodservice Receiving Door (VHP model)

HEPA FILTER (UP TO 8')

BENEFITS

HEPA FILTER

CAPTURES AIRBORNE PARTICULATES
 AS SMALL AS 0.3 MICRON SUCH AS
 DIRT, DUST, SMOKE, SPORES AND
 ALLERGENS

VHP

CAPTURES, KILLS, AND NEUTRALIZES
 AIRBORNE PARTICULATES USING
 UVC/UVV LAMPS, HEPA FILTERS, AND
 BIPOLAR IONIZERS